

Permit #: _____

TAYLOR COUNTY SANITARY PERMIT APPLICATION
SANITARY NON-PLUMBING DEVICE / SYSTEM / TOILET / UNIT

TAYLOR COUNTY ZONING ADMINISTRATION
 224 S. Second Street, Medford WI 54451

In accordance with Chapter Comm 83/91, WI Adm. and Taylor County Private Sewage System Ordinance

APPLICATION INFORMATION - TYPE OR PRINT

Property Owner Name			Property Legal Description		
			GL 1\4, 1\4, Sec. , T N, R E or W		
Property Owner's Mailing Address			Lot Number		Block Number
City	State	Zip Code	Phone Number		Subdivision Name or CSM Number

TYPE OF BUILDING: (Check one)

<input type="checkbox"/> Public <input type="checkbox"/> 1 or 2 Family Dwelling - No. or bedrooms ____	<input type="checkbox"/> City	Nearest Road _____
	<input type="checkbox"/> Village	Fire Number _____
	<input type="checkbox"/> Town of _____	
LAND USE: [Explain the use/purpose for this permit, (i.e. campground, cabin, recreation, etc.)]		Parcel Tax Number(s)

TYPE OF NON-PLUMBING DEVICE / SYSTEM / TOILET / UNIT:

<input type="checkbox"/> Privy - Pit Toilet (attach soil test report)	<input type="checkbox"/> Composting Toilet System (Provide manufacturer specifications)	<input type="checkbox"/> Incinerating Toilet Device (Provide manufacturer specifications)
<input type="checkbox"/> Privy - Vault Toilet	<input type="checkbox"/> Other: _____	
Vault size: ____ Gallons or ____ feet (Vault must be a minimum of 200 gallons)		
(PLEASE READ & SIGN THE RESPONSIBILITY STATEMENT & SANITARY NON-PLUMBING AGREEMENT BELOW)		

RESPONSIBILITY STATEMENT & SANITARY NON-PLUMBING AGREEMENT:

I, the undersigned, assume responsibility for the installation of the non-plumbing sanitary system for which this permit is issued. I further agree that any dwelling in conjunction with this permit will not be provided with indoor plumbing and/or water hookup. I will use the non-plumbing system indicated as a means of waste disposal, and I will carry water to and from the structure. I understand that before indoor plumbing and water hook ups are installed the proper State and County Permits will be applied for. I further understand that any deviations from the above will constitute a violation of the Taylor County Zoning Ordinance and would subject me to the penalties of the Ordinance. By signing this application I am also granting permission to the zoning department personnel to enter my property at any reasonable time for the purpose of inspection to assure compliance with zoning laws relative to the issuance of this permit.

Owner's Name: (Print)	Owner's Signature
-----------------------	-------------------

OFFICE USE ONLY:

<input type="checkbox"/> Approved	Permit Fee: \$65.00	Date Issued:	Issuing Agent Signature:
<input type="checkbox"/> Denied			
<input type="checkbox"/> Withdrawn			

COMMENTS:

CONDITIONS OF APPROVAL / REASONS DENIED:

Attach an 8.5" X 11" plot plan drawing showing structure, proposed privy/toilet, well (if applicable), North, public road, driveway, lake or waterway. Show distances between objects.

TAYLOR COUNTY RECOMMENDATIONS FOR
THE CONSTRUCTION OF THE
SANITARY PRIVY

I. Location

A. Privies shall be located at a minimum horizontal distance of:

1. 25' from habitable buildings
2. 10' from slab constructed accessory buildings
3. 75' from navigable waters and watercourses
4. 10' from sideyard lot lines
5. Setbacks from highways are as follows:

<u>Class of Highway</u>	<u>From Centerline</u>	<u>From R-O-W</u>
a. State or Federal	110'	50' whichever is greater
b. County	75'	42' whichever is greater
c. Town	55'	22' whichever is greater
d. Private	25'	-----

6. 50' from water supply well
7. 3' from above high ground water or bedrock (unless equipped with watertight vault)

II. General Requirements

- A. All privy buildings should be fly tight and vermin proof.
- B. Privies should be provided with concrete floors and risers and the interior painted.
- C. Privies should be provided with a suitable approach, such as concrete, gravel, or cinder.
- D. The entire installation should be kept clean and sanitary. Freshly slaked lime or other equally effective disinfectants shall be used in the vault at frequent intervals. Floors, walls, seats and urinals should be scrubbed as often as possible. The vault should be cleaned out at proper intervals and the wastes properly disposed of in accordance with NR 113 , Wis. Adm. Code.
- E. All windows, ventilators, and other openings should be screened with 16 mesh screening to prevent entrance of insects.

III. Foundation and Vault Requirements

- A. The outer base of the privy should be banked with earth.
- B. Concrete or cement block foundation walls should extend six inches above the ground and twelve inches below the ground to prevent entrance by insects and vermin.

- C. The bottom of open pits shall be at least three feet above bedrock or high groundwater level unless the pit is equipped with a permanently water tight vault such as concrete or steel.
- D. An exterior vermin-tight access opening, for cleaning of vault, should be provided where water tight vault has been installed.

IV. Privy Ventilation Requirements

- A. Vaults should be ventilated with a pipe of at least three inches in diameter which terminates at least 8 inches above the roof of the privy and is provided with an effective ventilating hood.

V. Superstructure Requirements

- A. Walls and ceilings should be completely covered with smooth plastic, galvanized metal, wood or other suitable materials, provided joints are properly sealed.
- B. Steel or masonry buildings are acceptable if properly constructed.

VI. Additional Suggestions

- A. Privy doors should swing and be self-closing.
- B. Privy seats should be provided with hinged covers.
- C. Privies for public buildings shall comply with Comm 91, Wis. Adm. Code.
- D. A privy vault shall be constructed of watertight plastic, fiberglass, coated steel or monolithic concrete. Privy construction shall comply with Comm 91.12 Wis. Adm. Code, and Taylor County recommendations for the construction of a sanitary privy.
- E. The privy shall be kept clean and sanitary. The contents of the pit or vault shall be disposed in accordance with NR 113, Wis. Adm. Code. Privy abandonment shall be in accordance with Comm 91.12(5) Wis. Adm. Code.
- F. Refer to attached information pertaining to Comm 91.10, Composting Toilets; Comm 91.11, Incinerating Toilets; and Comm 91.12, Privies.
- G. This application shall be binding on the owner, their heirs and assignees.